Mipa WBS Reiniger FINAL

Technical data sheet



Intended use

Mipa WBS Reiniger FINAL is a low-odour and VOC-compliant (less than 20 % solvent) waterborne degreasing agent for cleaning paint and filler surfaces prior to top coating. Mipa WBS Reiniger FINAL is perfectly suitable for cleaning with diverse wipes without leaving any traces. Antistatic effect especially on plastic parts.

Spreading rate: --

Processing instructions

	Colour colourless					
	Mixing ratio Hardener 		by weight (lac 	quer : hardener) bγ volume 	(lacquer : hardener)
	Hardener for complete paintv 	vork		for partial pa	intwork	
	Pot life 					
	Thinner 					
∏ s	Spray viscosity gravity spray gun 			Airmix/Airles 	s	
	Application mode Application mode	Hardener –	pressu (bar) 	re nozzle (r _	mm) spray passes 	Thinner
$\frac{1}{2}$	Flash-off time 					
	Dry coat thickness					
\bigcirc	Drying time object temperature 	dust dry 	set to touch 	ready for assembly 	sandable 	recoatable

Version: en 1219

This technical data sheet is supplied for informational purposes only! According to our information, all data and recommendations correspond to the state of art and are based on years of experience in manufacturing our products. They do not exempt the user from his obligation to verify professionally, on his own responsibility, the suitability of our products to the intended purpose under prevailing conditions. Safety data sheets and warnings on packaging must be observed. We reserve the right to modify and to complete the information content at any time, without prior notice or obligation to update.

MIPA SE · Am Oberen Moos 1 · D-84051 Essenbach · Tel.: +49(0)8703/922-0 · Fax: +49(0)8703/922-100 · mipa@mipa-paints.com · www.mipa-paints.com

Mipa WBS Reiniger FINAL

Technical data sheet



Note	
Storage:	at least 4 years in unopened original container
VOC Regulation :	EU limit value for this product (category B/a): 200 g/l This product contains max. 189 g/l of VOC.
Processing conditions:	-
Processing instructions:	Use compressed air to blow away residual moisture in edges, crimps and grooves. We recommend applying by means of the MP Druckpumpzerstäuber (pump sprayer).

Version: en 1219
This technical data sheet is supplied for informational purposes only! According to our information, all data and recommendations correspond to the state of art and are based on
years of experience in manufacturing our products. They do not exempt the user from his obligation to verify professionally, on his own responsibility, the suitability of our
products to the intended purpose under prevailing conditions. Safety data sheets and warnings on packaging must be observed. We reserve the right to modify and to complete
the information content at any time, without prior notice or obligation to update.

MIPA SE · Am Oberen Moos 1 · D-84051 Essenbach · Tel.: +49(0)8703/922-0 · Fax: +49(0)8703/922-100 · mipa@mipa-paints.com · www.mipa-paints.com